

► CONTAINERS

Following are the standard specifications for the types of containers mostly used in traffic involving Brazil. Note that there may be small differences in container measurements depending on the manufacturer.

- Container 20 Dry

Dimensions	Width (mt)	Length (mt)	Height (mt)
Internal	2,352	5,900	2,390
Door opening	2,340	-	2,283

Cubic capacity (cbm)	Load Capacity (ton)	Tare weight (ton)
33,00	28,150	2,330

- Container 40 Dry

Dimensions	Width (mt)	Length (mt)	Height (mt)
Internal	2,352	12,030	2,390
Door opening	2,340	-	2,275

Cubic capacity (cbm)	Load Capacity (ton)	Tare weight (ton)
67,70	28,700	3,800

- Container 40 HC

Dimensions	Width (mt)	Length (mt)	Height (mt)
Internal	2,352	12,030	2,695
Door opening	2,340	-	2,585

Cubic capacity (cbm)	Load Capacity (ton)	Tare weight (ton)
76,0	26,480	4,000

- Flat Rack 20

Dimensions	Width (mt)	Length (mt)	Height (mt)
Internal	2,352	5,900	2,310
Door opening	-	-	-

Cubic capacity (cbm)	Load Capacity (ton)	Tare weight (ton)
32,00	29,500	3,000

- Flat Rack 40

Dimensions	Width (mt)	Length (mt)	Height (mt)
Internal	2,410	12,020	1,955
Door opening	-	-	-

Cubic capacity (cbm)	Load Capacity (ton)	Tare weight (ton)
56,6	40,050	4,950

- Open Top 20

Dimensions	Width (mt)	Length (mt)	Height (mt)
Internal	2,340	5,890	2,360
Door opening	2,32	-	2,25

Cubic capacity (cbm)	Load Capacity (ton)	Tare weight (ton)
32,60	21,700	2,300

- Open Top 40 Dry

Dimensions	Width (mt)	Length (mt)	Height (mt)
Internal	2,352	12,024	2,380
Door opening	2,32	-	2,25

Cubic capacity (cbm)	Load Capacity (ton)	Tare weight (ton)
67,3	26,280	4,200

- Refrigerated 20

Dimensions	Width (mt)	Length (mt)	Height (mt)
Internal	2,285	5,450	2,260
Door opening	2,32	-	2,25

Cubic capacity (cbm)	Load Capacity (ton)	Tare weight (ton)
28,1	21,80	3,2

- Refrigerated 40

Dimensions	Width (mt)	Length (mt)	Height (mt)
Internal	2,285	11,570	2,250
Door opening	2,290	-	2,265

Cubic capacity (cbm)	Load Capacity (ton)	Tare weight (ton)
58,4	26,000	4,480

- Ventilated

Dimensions	Width (mt)	Length (mt)	Height (mt)
Internal	2,340	5,900	2,390
Door opening	2,340	-	2,270

Cubic capacity (cbm)	Load Capacity (ton)	Tare weight (ton)
32,99	22,050	2,350

